

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2306	(profile\$1) near3 (document\$1 text\$1 file\$1)	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:34
L3	7969	profile\$1 near5 (address\$3 location\$1 destination\$1 recipient\$1)	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:19
L4	10985	(profile\$1 document\$1 text\$1 file\$1) near4 (encrypt\$4 encipher\$4 encod\$4 cipher\$4 crypto\$9 scrambl\$3)	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:20
L5	543	I2 and I3	USPAT; IBM_TDB	OR	OFF	2006/06/21 15:53
L6	102	I4 and I5	USPAT; IBM_TDB	OR	OFF	2006/06/21 15:52
L7	91	I6 and (print\$3 fax facsimile\$1 scan\$4)	USPAT; IBM_TDB	OR	OFF	2006/06/21 17:38
L8	67	I6 and (scan\$4)	USPAT; IBM_TDB	OR	OFF	2006/06/21 15:53
L9	19	I4 with I3	USPAT; IBM_TDB	OR	OFF	2006/06/21 15:53
L10	15	I9 and (print\$3 fax facsimile\$1 scan\$4)	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:08
L11	9	I9 and (scan\$4)	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:10
L12	13930	(print\$3 fax facsimile\$1 scan\$4) near6 (encrypt\$4 encipher\$4 encod\$4 cipher\$4 crypto\$9 scrambl\$3)	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:10
L13	10	I8 and I12	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:10
L14	1338	(address\$3 location\$1 destination\$1) near3 (field\$1 parameter\$1) near5 (text\$1 file\$1)	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:15
L15	248	(encrypt\$4 encipher\$4 encod\$4 cipher\$4 crypto\$9) near3 (field\$1 parameter\$1) near5 (text\$1 file\$1)	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:07
L16	19	I14 and I15	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:07
L17	11	I16 and (print\$3 fax facsimile\$1 scan\$4)	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:08
L18	12177	(document\$1 text\$1 file\$1) near6 (encrypt\$4 encipher\$4 encod\$4 cipher\$4 crypto\$9 scrambl\$3)	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:18

EAST Search History

L19	52	I8 and I18	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:10
L20	52	I19 and (scan\$4)	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:11
L21	52	I20 not I16	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:24
L22	52	(address\$3 location\$1 destination\$1) and I21	USPAT; IBM_TDB	OR	OFF	2006/06/21 17:25
L23	33468	(document\$1 text\$1 file\$1) near6 (fax facsimile\$1 scan\$4)	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:18
L24	2859	I18 and I23	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:20
L25	106	I3 and I24	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:24
L26	1590	(profile\$1) near4 (encrypt\$4 encipher\$4 encod\$4 cipher\$4 crypto\$9 algorithm (public near key\$1) (secret\$1 near key\$1) scrambl\$3)	USPAT; IBM_TDB	OR	OFF	2006/06/21 17:30
L27	4	I25 and I26	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:21
L28	0	I27 not I25	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:24
L29	102	I25 not I27	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:24
L30	102	I29 not I16	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:24
L31	63	I30 not I21	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:24
L32	63	I31 not I13	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:25
L33	63	I32 not I11	USPAT; IBM_TDB	OR	OFF	2006/06/21 16:25
L34	15585	(scan\$3) near3 (document\$1 text\$1 file\$1)	USPAT; IBM_TDB	OR	OFF	2006/06/21 17:53
L35	0	I1 and I34	USPAT; IBM_TDB	OR	OFF	2006/06/21 18:11
L36	239	I34 near4 (encrypt\$4 encipher\$4 encod\$4 cipher\$4 crypto\$9 algorithm (public near key\$1) (secret\$1 near key\$1) scrambl\$3)	USPAT; IBM_TDB	OR	OFF	2006/06/21 18:13
L37	67	I36 and profile\$1	USPAT; IBM_TDB	OR	OFF	2006/06/21 17:25
L38	66	(address\$3 location\$1 destination\$1) and I37	USPAT; IBM_TDB	OR	OFF	2006/06/21 17:41

EAST Search History

L39	10256	(scanner\$1) and l34	USPAT; IBM_TDB	OR	OFF	2006/06/21 17:29
L40	10854	(encrypt\$4 encipher\$4 encod\$4 cipher\$4 crypto\$9 algorithm (public near key\$1) (secret\$1 near key\$1) scrambl\$3) near3 (document\$1 text\$1 file\$1)	USPAT; IBM_TDB	OR	OFF	2006/06/21 17:57
L41	946	l39 and l40	USPAT; IBM_TDB	OR	OFF	2006/06/21 17:30
L42	23766	(association\$1 rule\$1 privilege\$1 director\$3 table\$1) near6 (encrypt\$4 encipher\$4 encod\$4 cipher\$4 crypto\$9 algorithm (public near key\$1) (secret\$1 near key\$1) scrambl\$3)	USPAT; IBM_TDB	OR	OFF	2006/06/21 17:39
L43	40066	(association\$1 rule\$1 privilege\$1 director\$3 table\$1) near6 (address\$2)	USPAT; IBM_TDB	OR	OFF	2006/06/21 17:31
L44	27	l41 and l42 and l43	USPAT; IBM_TDB	OR	OFF	2006/06/21 17:31
L45	390	l40 near5 (fax facsimile\$1 scan\$4)	USPAT; IBM_TDB	OR	OFF	2006/06/21 17:59
L46	84487	(association\$1 rule\$1 privilege\$1 profile\$1) near5 (stor\$3 select\$6 creat\$4 generat\$4 predetermin\$6 pre-determin\$6)	USPAT; IBM_TDB	OR	OFF	2006/06/21 17:58
L47	61	l45 and l46	USPAT; IBM_TDB	OR	OFF	2006/06/21 17:41
L48	56	(address\$3 location\$1 destination\$1) and l47	USPAT; IBM_TDB	OR	OFF	2006/06/21 17:41
L49	36	l48 and (key\$1 asymmetric\$4 symmetric\$4)	USPAT; IBM_TDB	OR	OFF	2006/06/21 17:49
L50	14	l48 and ((public near2 key\$1) (secret near2 key\$1) asymmetric\$4 symmetric\$4)	USPAT; IBM_TDB	OR	OFF	2006/06/21 17:50
L51	10424	(association\$1 rule\$1 privilege\$1 profile\$1) near5 (document\$1 text\$1 file\$1)	USPAT; IBM_TDB	OR	OFF	2006/06/21 18:00
L52	5904	l46 and l51	USPAT; IBM_TDB	OR	OFF	2006/06/21 17:54
L53	28	l45 and l52	USPAT; IBM_TDB	OR	OFF	2006/06/21 17:55
L54	6495	(encrypt\$4 encipher\$4 cipher\$4 crypto\$9 algorithm\$1 des (public near key\$1) (secret\$1 near key\$1) scrambl\$3) near3 (document\$1 text\$1 file\$1)	USPAT; IBM_TDB	OR	OFF	2006/06/21 18:02

EAST Search History

L55	36043	(association\$1 rule\$1 privilege\$1 profile\$1) near5 (creat\$4 generat\$4)	USPAT; IBM_TDB	OR	OFF	2006/06/21 17:58
L56	52104	(association\$1 rule\$1 privilege\$1 profile\$1) near5 (select\$6 pick\$3 correspond\$4 predetermin\$6 pre-determin\$6)	USPAT; IBM_TDB	OR	OFF	2006/06/21 17:58
L57	145	I54 near6 (fax facsimile\$1 scan\$4)	USPAT; IBM_TDB	OR	OFF	2006/06/21 18:02
L58	3	I55 and I56 and I57	USPAT; IBM_TDB	OR	OFF	2006/06/21 18:09
L59	41532	(association\$1 rule\$1 privilege\$1 profile\$1 file\$1) near5 (director\$4 table\$1 list\$1)	USPAT; IBM_TDB	OR	OFF	2006/06/21 18:08
L60	4739	I59 near6 (address\$3 location\$1 destination\$1)	USPAT; IBM_TDB	OR	OFF	2006/06/21 18:05
L61	28	(encrypt\$4 encipher\$4 cipher\$4 crypto\$9 algorithm\$1 des (public near key\$1) (secret\$1 near key\$1) scrambl\$3) near5 I60	USPAT; IBM_TDB	OR	OFF	2006/06/21 18:05
L62	18	I61 and (fax facsimile\$1 scan\$4)	USPAT; IBM_TDB	OR	OFF	2006/06/21 18:04
L63	15	I62 and I54	USPAT; IBM_TDB	OR	OFF	2006/06/21 18:03
L64	22148	(fax facsimile\$1 scan\$4) near3 (document\$1 text\$1 file\$1)	USPAT; IBM_TDB	OR	OFF	2006/06/21 18:04
L65	604	(encrypt\$4 encipher\$4 cipher\$4 crypto\$9 algorithm\$1 des (public near key\$1) (secret\$1 near key\$1) scrambl\$3) near5 I59	USPAT; IBM_TDB	OR	OFF	2006/06/21 18:05
L66	16	I60 and I64 and I65	USPAT; IBM_TDB	OR	OFF	2006/06/21 18:06
L67	55869	(association\$1 rule\$1 privilege\$1 profile\$1 file\$1) near3 (document\$1 text\$1 file\$1)	USPAT; IBM_TDB	OR	OFF	2006/06/21 18:08
L68	6067	I64 and I67	USPAT; IBM_TDB	OR	OFF	2006/06/21 18:08
L69	10	I68 and I56 and I57	USPAT; IBM_TDB	OR	OFF	2006/06/21 18:09
L70	260	I2 and I34	USPAT; IBM_TDB	OR	OFF	2006/06/21 18:12
L71	0	I14 and I15 and I70	USPAT; IBM_TDB	OR	OFF	2006/06/21 18:12

EAST Search History

L72	8269	(document\$1 text\$1 file\$1) near6 (encrypt\$4 encipher\$4 cipher\$4 crypto\$9 algorithm (public near key\$1) (secret\$1 near key\$1) scrambl\$3)	USPAT; IBM_TDB	OR	OFF	2006/06/21 18:13
L73	42	I70 and I72	USPAT; IBM_TDB	OR	OFF	2006/06/21 18:13

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4999	((358/1.1) or (358/3.23) or (358/3.28) or (358/1.18) or (358/500) or (358/505) or (358/523) or (358/539) or (358/400) or (358/403) or (358/405) or (358/407-408) or (358/426.02) or (358/442) or (358/491)).CCLS.	USPAT; IBM_TDB	OR	OFF	2006/06/21 10:41
L2	319	l1 and profile\$1	USPAT; IBM_TDB	OR	OFF	2006/06/21 10:42
L3	189	l2 and (address\$3)	USPAT; IBM_TDB	OR	OFF	2006/06/21 10:49
L4	520348	l3 (encrypt\$4 encipher\$4 encod\$4 cipher\$4 crypto\$9 key\$1 scrambl\$3)	USPAT; IBM_TDB	OR	OFF	2006/06/21 10:48
L5	142	l3 and (encrypt\$4 encipher\$4 encod\$4 cipher\$4 crypto\$9 key\$1 scrambl\$3)	USPAT; IBM_TDB	OR	OFF	2006/06/21 10:49
L6	18214	(creat\$4 generat\$4 compos\$4) near3 profile\$1	USPAT; IBM_TDB	OR	OFF	2006/06/21 10:48
L7	276	l6 with (encrypt\$4 encipher\$4 encod\$4 cipher\$4 crypto\$9 key\$1 scrambl\$3)	USPAT; IBM_TDB	OR	OFF	2006/06/21 11:24
L8	5	l7 with (address\$3)	USPAT; IBM_TDB	OR	OFF	2006/06/21 10:49
L9	142	l5 and (encrypt\$4 encipher\$4 encod\$4 cipher\$4 crypto\$9 key\$1 scrambl\$3)	USPAT; IBM_TDB	OR	OFF	2006/06/21 11:25
L10	25	l5 and l6	USPAT; IBM_TDB	OR	OFF	2006/06/21 10:52
L11	25	l10 and (print\$3 fax facsimile\$1 scan\$4)	USPAT; IBM_TDB	OR	OFF	2006/06/21 11:24
L12	146	profile\$1 near8 (address\$3 location\$1 destination\$1 recipient\$1) near8 (encrypt\$4 encipher\$4 encod\$4 cipher\$4 crypto\$9 key\$1 scrambl\$3)	USPAT; IBM_TDB	OR	OFF	2006/06/21 11:24
L13	80	l12 and (print\$3 fax facsimile\$1 scan\$4)	USPAT; IBM_TDB	OR	OFF	2006/06/21 11:25
L14	51	l12 and (scan\$4)	USPAT; IBM_TDB	OR	OFF	2006/06/21 11:25
L15	27249	(text\$3 file\$1 document\$1 scan\$4) near4 (encrypt\$4 encipher\$4 encod\$4 cipher\$4 crypto\$9 key\$1 scrambl\$3)	USPAT; IBM_TDB	OR	OFF	2006/06/21 11:25

EAST Search History

L16	19	I14 and I15	USPAT; IBM_TDB	OR	OFF	2006/06/21 11:25
-----	----	-------------	-------------------	----	-----	------------------